

Chair with wooden legs

Shell: recyclable polypropylene reinforced with fiberglass.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm.)

Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Legs: solid oak

Glides: specify felt or metal



	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	S0170 *	Polypropylene	1 pc / 53,5x61,5x85 cm 0,28 m ³ / 8,1 Kg 5,6 Kg
Polypropylene with frontal upholstery	S0171 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53,5x61,5x85 cm 0,28 m ³ / 10 Kg 7,5 Kg
Polypropylene with seat cushion only	S0172 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53,5x61,5x85 cm 0,28 m ³ / 9 Kg 6,5 Kg
Fully Upholstered	S0173 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53,5x61,5x85 cm 0,28 m ³ / 10,4 Kg 7,9 Kg

Glides to specify according type of floor material



felt



metal glide

Finishes

Polypropylene

Wood oak
FSC™ certified

The mark of
responsible forestry
FSC® C155378

Fire-retardant version

Fire-retardant version black 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material


For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Dimensions

Chair with metal legs

Shell: recyclable polypropylene reinforced with fiberglass.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm)

Frame and legs: tapered steel tube available in powder coated finish.


Glides: thermoplastic material.




	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	S0175	Polypropylene	1 pc / 53x61,5x85 cm 0,28 m ³ / 8,6 Kg 6,1 Kg
Polypropylene with frontal upholstery	S0176	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53x61,5x85 cm 0,28 m ³ / 10,6 Kg 8,1 Kg
Polypropylene with seat cushion only	S0177	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53x61,5x85 cm 0,28 m ³ / 9,6 Kg 7,1 Kg
Fully Upholstered	S0178	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53x61,5x85 cm 0,28 m ³ / 11 Kg 8,5 Kg

Finishes


Polypropylene



Metal frame



Dimensions



Fire-retardant version

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 1IM Standards by the Italian Minister of Interior

Stacking chair 4 legged base.

Shell: recyclable polypropylene reinforced with fiberglass

Polypropylene protective cover under the seat.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm.)

Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: steel tube Ø 18 mm available in powder coated or chromed finish.

Glides: thermoplastic material.



	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	S0160	Polypropylene	4 pcs / 58,5x71,5x103 cm 0,43 m ³ / 26 Kg 5,5 Kg
Polypropylene with frontal upholstery	S0161	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 58,5x61,5x93,5 cm 0,34 m ³ / 17,9 Kg 7,7 Kg
Polypropylene with seat cushion only	S0162	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 58,5x61,5x93,5 cm 0,34 m ³ / 15,9 Kg 6,7 Kg
Fully Upholstered	S0163	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	2 pcs / 58,5x61,5x93,5 cm 0,34 m ³ / 18 Kg 8 Kg

Accessories

Kart Universal trolley - art. C0514


Fire-retardant version

Fire-retardant version black colour 7F


Fire retardant compounds may cause slightly difference of colours

Finishes



Polypropylene



Metal frame



Dimensions



Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 11M Standards by the Italian Minister of Interior

Resistance tests

Mod. To-Be S0160

EN 16139:2013 – general requirements of resistance test

EN 1728:2012 – seat and back static load test

EN 1728:2012 – seat and back static vertical load test

EN 1728:2012 – seat and back fatigue test

EN 1728:2012 – seat front edge fatigue test

EN 1728:2012 – front legs static load test

EN 1728:2012 – side legs static load test

EN 1728:2012 – seat impact test

EN 1728:2012 – back impact test

EN 1728:2012 – stability test

ANSI-BIFMA 5.1 -2017/6 – back drop test

ANSI-BIFMA 5.1 -2017/7 – seat drop test

ANSI-BIFMA 5.1 -2017/10 – seat durability test

ANSI-BIFMA 5.1 -2017/11 – stability test

ANSI-BIFMA 5.1 -2017/15 – back durability test / non tilting seat

ANSI-BIFMA 5.1 -2017/17 – front legs static load test

ANSI-BIFMA 5.1 -2017/17 – side legs static load test

ANSI-BIFMA 5.1 -2017/24 – frame fatigue test

Stacking chair 4 legged base with armrests

Shell: recyclable polypropylene reinforced with fiberglass

Polypropylene protective cover under the seat.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm.)

Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: steel tube Ø 18 mm available in powder coated or chromed finish


Glides: thermoplastic material.




	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair with armrests			
Polypropylene	S0160 B	Polypropylene	4 pcs / 68x71,5x103 cm 0,50 m ³ / 30 Kg 6,5 Kg
Polypropylene with frontal upholstery	S0161 B	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 68x61,5x93,5 cm 0,45 m ³ / 20 Kg 8,7 Kg
Polypropylene with seat cushion only	S0162 B	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 68x61,5x93,5 cm 0,45 m ³ / 18,5 Kg 7,7 Kg
Fully Upholstered	S0163 B	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	2 pcs / 68x61,5x93,5 cm 0,45 m ³ / 20,4 Kg 9 Kg

Finishes



Polypropylene



Metal frame



Dimensions



Accessories

Kart Universal trolley - art. C0514

Fire-retardant version

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 11M Standards by the Italian Minister of Interior

Stacking chair - Sled base**Shell:** recyclable polypropylene reinforced with fiberglass

Polypropylene protective cover under the seat

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm.)**Covers:** fabric, faux-leather or C.O.M. (preferably in solid colour)**Frame:** steel rod Ø 12 mm. available in powder coated or chromed finish**Glides:** thermoplastic material

	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	S0165	Polypropylene	4 pcs / 58,5x61,5x93,5 cm 0,34 m ³ / 31,6 Kg 7 Kg
Polypropylene with frontal upholstery	S0166	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 58,5x71,5x103 cm 0,43 m ³ / 21 Kg 8,7 Kg
Polypropylene with seat cushion only	S0167	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 58,5x71,5x103 cm 0,43 m ³ / 19 Kg 8 Kg
Fully Upholstered	S0168	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	2 pcs / 58,5x71,5x103 cm 0,43 m ³ / 21,4 Kg 9 Kg





Accessories

Kart Universal trolley - art. C0514

Fire-retardant version

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Finishes**Polypropylene****Metal frame****Dimensions****Customer's own material**

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 1IM Standards by the Italian Minister of Interior

Resistance tests

Mod. To-Be S0165

EN 16139:2013 – general requirements of resistance test
 EN1728:2012 – seat and back static load test
 EN1728:2012 – seat and back static vertical load test
 EN 1728:2012 – seat and back fatigue test
 EN 1728:2012 – seat front edge fatigue test
 EN 1728:2012 – front legs static load test
 EN 1728:2012 – side legs static load test
 EN 1728:2012 – seat impact test
 EN 1728:2012 – back impact test
 EN 1728:2012 – stability test
 ANSI-BIFMA 5.1 -2017/6 – back drop test
 ANSI-BIFMA 5.1 -2017/7 – seat drop test
 ANSI-BIFMA 5.1 -2017/10 – seat durability test
 ANSI-BIFMA 5.1 -2017/11 – stability test
 ANSI-BIFMA 5.1 -2017/15 – back durability test / non tilting seat
 ANSI-BIFMA 5.1 -2017/17 – front legs static load test
 ANSI-BIFMA 5.1 -2017/17 – side legs static load test
 ANSI-BIFMA 5.1 -2017/24 – frame fatigue test

Chair 4 stars swivel base with feet

Shell: recyclable polypropylene reinforced with fiberglass

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm.)

Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: die-cast aluminium frame available in powder coated or brushed finish


Feet: thermoplastic material




	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	R0100	Polypropylene	1 pc / 50x59x82 cm 0,24 m3 / 8,4 Kg 6,2 Kg
Polypropylene with frontal upholstery	R0101	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 50x59x82 cm 0,24 m3 / 10,4 Kg 8 Kg
Polypropylene with seat cushion only	R0102	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 50x59x82 cm 0,24 m3 / 9,4 Kg 7 Kg
Fully Upholstered	R0103	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 50x59x82 cm 0,24 m3 / 10,8Kg 8,4 Kg

Finishes

Polypropylene





Metal frame



Dimensions

Art. R0100

Art. R0101 / R0102 / R0103



Fire-retardant version

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 11M Standards by the Italian Minister of Interior

Chair 4 stars swivel base with castors

Shell: recyclable polypropylene reinforced with fiberglass.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm)




Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: die-cast aluminium frame available in powder coated or brushed finish.

Castors: self-braking castors.



	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	R0105	Polypropylene	1 pc / 53,5x59x82 cm 0,26 m ³ / 8,7 Kg 6,5 Kg
Polypropylene with frontal upholstery	R0106	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 53,5x59x82 cm 0,26 m ³ / 10 Kg 8 Kg
Polypropylene with seat cushion only	R0107	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 53,5x59x82 cm 0,26 m ³ / 9,6 Kg 7,5 Kg
Fully Upholstered	R0113	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 53,5x59x82 cm 0,26 m ³ / 10,4 Kg 8,4 Kg

Finishes**Polypropylene****Metal frame****Dimensions****Fire-retardant version**

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 1IM Standards by the Italian Minister of Interior

Chair 5 stars swivel base with castors

Shell: recyclable polypropylene reinforced with fiberglass.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm)

Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: die-cast aluminium frame in powder coated or polished brushed finish with gas adjustable seat height. Self-braking castors


Castors: self-braking castors.




	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Chair			
Polypropylene	R0108	Polypropylene	1 pc / 66x41x65 cm 0,26 m3 / 9,7 Kg 6,7 Kg
Polypropylene with frontal upholstery	R0109	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 66x41x65 cm 0,26 m3 / 11,4 Kg 8,4 Kg
Polypropylene with seat cushion only	R0110	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 66x41x65 cm 0,26 m3 / 10,6 Kg 7,6 Kg
Fully Upholstered	R0111	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 66x41x65 cm 0,26 m3 / 11,8 Kg 8,8 Kg

Finishes

Polypropylene



Metal frame



Dimensions



Fire-retardant version

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 11M Standards by the Italian Minister of Interior

Stool h.63 cm. with wooden legs

Shell: recyclable polypropylene reinforced with fiberglass.

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm).

Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Legs: solid oak.

Glides: felt or metal




	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Stool H. 63 cm			
Polypropylene	G0160 *	Polypropylene	1 pc / 52x60x104cm 0,32 m ³ / kg 10 kg 7
Polypropylene with frontal upholstery	G0161 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 52x60x104 cm 0,32 m ³ / kg 12 kg 9
Polypropylene with seat cushion only	G0162 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 52x60x104 cm 0,32 m ³ / kg 11 kg 8
Fully Upholstered	G0163 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 52x60x104 cm 0,32 m ³ / kg 12,4 kg 9,4

Glides to specify according type of floor material

felt



metal glide

Finishes**Polypropylene**

7F

7Y

8H

8T

8Q

8M

**Wood / oak
FSC™ certified**

RO 02

RO 05



The mark of
responsible forestry
FSC® C156379

Fire-retardant version

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material


For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm


for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Dimensions

Stool h.75 cm. with wooden legs**Shell:** recyclable polypropylene reinforced with fiberglass**Upholstered options:** polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm.)**Covers:** fabric, faux-leather or C.O.M. (preferably in solid colour)**Legs:** solid oak**Glides:** specify felt or metal

	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Stool H. 75 cm			
Polypropylene	G0165 *	Polypropylene	1 pc / 52x60x114 cm 0,36 m ³ / 10,4 Kg 7,4 Kg
Polypropylene with frontal upholstery	G0166 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 52x60x114 cm 0,36 m ³ / 12,4 Kg 9,4 Kg
Polypropylene with seat cushion only	G0167 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	1 pc / 52x60x114 cm 0,36 m ³ / 11,4 Kg 8,4 Kg
Fully Upholstered	G0168 *	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	1 pc / 52x60x114 cm 0,36 m ³ / 12,8 Kg 9,8 Kg


Glides to specify according type of floor material

felt

metal glide

Finishes

Polypropylene



7F

7Y

8H

8T

8Q

8M

Wood oak
FSC™ certified

RO 02

RO 05

The mark of
responsible forestry
FSC® C155379**Fire-retardant version**

Fire-retardant version black colour7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material


For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Dimensions

Stacking stool – H. 63 cm sled base

Shell: recyclable polypropylene reinforced with fiberglass.

Polypropylene protective cover under the seat

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm)




Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: steel tube Ø 18 mm available in powder coated or chromed finish.

Glides: thermoplastic material.



	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Stool H. 63 cm			
Polypropylene	G0170	Polypropylene	2 pcs / 60x60x107 cm 0,36 m ³ / 18,4 kg 7,4 kg
Polypropylene with frontal upholstery	G0171	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 60x60x107 cm 0,36 m ³ / 22 kg 9,2 kg
Polypropylene with seat cushion only	G0172	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 60x60x107 cm 0,36 m ³ / 20,2 kg 8,3 kg
Fully Upholstered	G0173	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	2 pcs / 60x60x107 cm 0,36 m ³ / 22,4 kg 9,5 kg

Finishes**Polypropylene****Metal frame****Dimensions****Fire-retardant version**

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 1IM Standards by the Italian Minister of Interior

Stacking stool – H. 75 cm sled base

Shell: recyclable polypropylene reinforced with fiberglass.

Polypropylene protective cover under the seat

Upholstered options: polypropylene shell with frontal upholstery, seat cushion only or fully upholstered (seat height + 4 cm)




Covers: fabric, faux-leather or C.O.M. (preferably in solid colour)

Frame: steel tube Ø 18 mm available in powder coated or chromed finish.

Glides: thermoplastic material.



	Article	Finish / Upholstery	pcs / dimensions volume / gross weight product net weight
Stool H. 75 cm			
Polypropylene	G0174	Polypropylene	2 pcs / 60x60x107 cm 0,36 m ³ / 19,5 kg 7,8 kg
Polypropylene with frontal upholstery	G0175	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 60x60x107 cm 0,36 m ³ / 23 kg 9,6 kg
Polypropylene with seat cushion only	G0176	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut2 / SteelcutTrio3 C.O.M. (solid colour)	2 pcs / 60x60x107 cm 0,36 m ³ / 21,2 kg 8,7 kg
Fully Upholstered	G0177	Gazebo Xtreme Plus / Magnum / Rivet / Sprint Blazer / Gingko / Step Melange Steelcut 2 / Steelcut Trio3 C.O.M. (solid colour)	2 pcs / 60x60x107 cm 0,36 m ³ / 23,4 kg 10 kg

Finishes**Polypropylene****Metal frame****Dimensions****Fire-retardant version**

Fire-retardant version black colour 7F

Fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc seat and back (H. 140 cm ca) 65 cm

for 1 pc seat only (H. 140 cm ca) 40 cm

for 1 pc fully upholstered (H.140 cm ca) 120 cm

Fire retardant certifications

The products upholstered with Xtreme fabric meets Class 11M Standards by the Italian Minister of Interior